Safety Data Sheet in Accordance with regulation 2015/830

Page 1 of 5

Date of issue: 23.03.2017 Replaces Data Sheet of: 22.02.2016

"*" alterations as compared to previous version; n.ap. = not applicable; n.av. = not available



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Aluminum sulfate, solid

Article No.: n.av. Preparation No.: n.av.

Registration No.: 01-2119531538-36-xxxx

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Potable water treatment, wastewater treatment

1.3 Details of the supplier of the safety data sheet

1.3.1 Address of the Company / Supplier:

Feralco Deutschland GmbH, Große Drakenburger Straße 93-97, D - 31582 Nienburg / Weser Telephone: +49-5021-988-470, Telefax: +49-5021-988 481, E-Mail: info.de@feralco.com

1.3.2 Responsible for the data sheet:

CoSiChem AG, Ernst-Lemmer-Straße 23, D - 35041 Marburg, info@cosichem.de

1.4 Emergency telephone number

Emergency - Telephone of Company / Undertaking Information Centre Specialising in Symptoms of

Poisoning

Telephone: GGIZ +49 361 730730 (24h)

Telephone: +44 870 600 6266

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification and labelling according to Directive 1272/2008/EC:

Eye Dam. 1; H318

2.2 Label elements

Classification according to 1272/2008/EC: Yes.

Applicable Exemptions: No. Signal word(s): Danger

Component(s): 16828-12-9 Aluminium sulphate

Hazard pictogram(s):

H - Phrases:

H318: Causes serious eye damage.

P - Phrases:

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER/doctor.

Additional Markings:

None.

The above mentioned labelling is valid for distribution to industrial user.

2.3 Other hazards

According to the results of the evaluation this substance is not PBT or vPvB

SECTION 3: Composition/information on ingredients

3.1 Substances

Dangerous Ingredients:

| Material CAS - No. Hazard Code(s) / I | Index - No. H - phrases | EC - No. | REACH - No. | m% - range |
|---|----------------------------|-----------|-----------------------|---------------|
| Aluminiumsulpha | ate tetradecahydrat (1 | 4 Hydrat) | | > 99% |
| 16828-12-9 Eye Dam. 1; H318 | n.av. | n.av. | 01-2119531538-36-xxxx | |

3.2 Mixtures

n.ap.

Trade Name: Aluminum sulfate, solid

Company / Supplier: Feralco Deutschland GmbH, Große Drakenburger Straße 93-97, D - 31582 Nienburg / Weser Telephone: +49-5021-988-470, Date of issue: 23.03.2017 Replaces Data Sheet of: 22.02.2016

SECTION 4: First aid measures

4.1 Description of first aid measures

4.1.1 Inhalation:

Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion. If symptoms persist, call a physician.

4.1.2 Skin Contact:

Wash off with soap and water. In the case of skin irritation or allergic reactions see a physician.

4.1.3 Eye Contact:

Call a physician immediately. Rinse immediately with plenty of water, also under the eyelids.

4.1.4 Ingestion:

Do not induce vomiting. Clean mouth with water and afterwards drink plenty of water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

n.av.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

5.1.1 Suitable Extinguishing Media:

The product itself does not burn.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.1.2 Extinguishing Media to Avoid:

high volume water jet.

5.2 Special hazards arising from the substance or mixture

In the event of fire the following can be released: Inorganic substances in powdered form, Sulphur oxides.

5.3 Advice for firefighters

5.3.1 Special Protective Equipment:

Wear positive pressure self-contained breathing apparatus. Wear full protective clothing.

5.3.2 Additional Information:

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

See chapter 8.2.2

Ensure adequate ventilation, especially in confined areas.

6.2 Environmental precautions

Local authorities should be advised if significant spillages cannot be contained.

Use mechanical handling equipment. Avoid dust formation.

6.3 Methods and material for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal.

6.4 Reference to other sections

None.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

7.1.1 Precautions for Safe Handling:

Keep container tightly closed in a dry and well-ventilated place. Re-open used containers with caution.

7.1.2 Precautions in Case of Fire and Explosion:

The product itself does not burn. No special precautions required.

7.2 Conditions for safe storage, including any incompatibilities

7.2.1 Storage Instructions:

Keep in a dry, cool and well-ventilated place. Jointless smooth floor: acid resisting floor.

7.2.2 Store away from:

Incompatible with strong bases and oxidizing agents.

7.2.3 Further Information on Storage Conditions:

Keep containers dry and tightly closed to avoid moisture absorption and contamination.

7.3 Specific end use(s)

n.av.

Safety Data Sheet in Accordance with regulation 2015/830

Page 3 of 5

Trade Name: Aluminum sulfate, solid

Company / Supplier: Feralco Deutschland GmbH, Große Drakenburger Straße 93-97, D - 31582 Nienburg / Weser Telephone: +49-5021-988-470, Date of issue: 23.03.2017 Replaces Data Sheet of: 22.02.2016

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Material Limit Value

Aluminiumsulfat tetradecahydrat (14 Hydrat) TLV dust: 10 mg/m³ (respirable fraction); 3 mg/m³ (alveole passing fraction)

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Do not breathe dust. Avoid contact with skin and eyes. When using, do not eat, drink or smoke. Take off all contaminated clothing immediately. Wash hands before breaks and at the end of workday.

8.2.2 Individual protection measures

8.2.2a Respiratory Protection: In case of insufficient ventilation, wear suitable respiratory equipment.

Short term only: Recommended Filter type: B-P2

8.2.2b **Hand Protection:** impervious butyl rubber gloves, Break through time > 480 min.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts,

abrasion, and the contact time.

8.2.2c Eye Protection: safety glasses with side-shields conforming to EN166

8.2.2d **Skin Protection:** protective suit

8.2.2e Further Information: Observe wearing time limits:

8.2.3 Environmental exposure controls:

ı.av.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

9.1.1 Form: solid Colour: white Odour: odourless Odour threshold: n.av.

9.1.2 pH-value, undiluted: n.ap. pH-value, 1% aqueous solution: ~ 3; 10%

9.1.3 Boiling point / Boiling - range (°C): n.av., Melting point / Melting range (°C): 650

9.1.4 Flash point (°C): n.ap., closed cup

9.1.5 Flammability (ÉEC A10/A13): n.ap.
9.1.6 Ignition temperature (°C): n.ap.
9.1.7 Autoflammability (EEC A16): n.ap.
9.1.8 Oxidising properties: None.
9.1.9 Explosion hazard: No.

9.1.10 Explosion limits (Vol.%) lower: n.ap., upper: n.ap.

Vapour pressure: 9.1.11 n.ap. Vapour density (Air = 1): n.av. 9.1.12 Density (g/ml): 1,7 9.1.13 Solubility (in Water): 880 a/l 9.1.14 Partition coefficient, n-Octanol / Water: -2 9.1.15 Viscosity: n.av.

9.1.16 Solvent content (m %): n.ap. 9.1.17 Thermal decomposition (°C): > 400

9.1.18 Evaporation rate: 7400

9.2 Other information

n.av.

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Protect from frost, heat and sunlight.

10.5 Incompatible materials

Incompatible with strong bases and oxidizing agents.

10.6 Hazardous decomposition products

Sulphur oxides

Safety Data Sheet in Accordance with regulation 2015/830

Page 4 of 5

Trade Name: Aluminum sulfate, solid

Company / Supplier: Feralco Deutschland GmbH, Große Drakenburger Straße 93-97, D - 31582 Nienburg / Weser Telephone: +49-5021-988-470, Date of issue: 23.03.2017 Replaces Data Sheet of: 22.02.2016

SECTION 11: Toxicological information

11 1 Information on toxicological effects

Acute Health Effects:

Inhalation:

Ingestion: LD₅₀/oral/rat =6207 mg/kg; Lit.

Skin Contact: n.av. Skin corrosion / irritation: n.av.

Serious eye damage / irritation: Causes serious eye damage.

Respiratory or skin sensitisation: n.av. Germ cell mutagenicity: No. Carcinogenicity: No. Reproductive toxicity: Nο STOT-single exposure: n.av. STOT-repeated exposure: n.av. Aspiration hazard: n av

11.1.1 - Practical Experience

11.1.11 n.av.

11.1.12 Practical Experience

Observations relevant for classification:

None

Further Observations:

None

SECTION 12: Ecological information

Toxicity

LC₅₀; 96h Gambusia affinis: 37 mg/l;

12.2 Persistence and degradability

Can be eliminated from water by flocculation.

12.3 **Bioaccumulative potential**

n.av.

12.4 Mobility in soil

n.av.

12.5 Results of PBT and vPvB assessment

According to the results of the evaluation this substance is not PBT or vPvB

12.6 Other adverse effects

12.6.1 COD-Value, mg/g: n.av. 12.6.2 BOD5-Value, mg/g: n.av. 12.6.3 AOX-Remarks: Not relevant 12.6.4 Significant Components: None. Other adverse effects: 12.6.5 None.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

13.1.1 Recommendation: R 3/4, D 5/9 16 03 03 (VeVA/OMoD) Waste - Code - No.:

The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

In addition comply with the regional authorities.

13.2 **Contaminated Packaging**

13.2.1 Recommendation: Wash with suitable cleaner. Otherwise as described under Residues. Uncontrolled

disposal or recycling of this packaging is not permitted and can be dangerous.

13.2.2 Safe Handling: As described under Residues. Handle in accordance with good industrial hygiene and

safety practice.

| Safety | / Data | Sheet in | Accordance | with re | egulation | 2015/830 |
|--------|--------|----------|------------|---------|-----------|----------|
| | | | | | | |

Page 5 of 5

Trade Name: Aluminum sulfate, solid

Company / Supplier: Feralco Deutschland GmbH, Große Drakenburger Straße 93-97, D - 31582 Nienburg / Weser Telephone: +49-5021-988-470, Date of issue: 23.03.2017 Replaces Data Sheet of: 22.02.2016

| SECTION 14: | Transport | information |
|-------------|------------------|-------------|
|-------------|------------------|-------------|

| | ADR | IMDG | IATA | | |
|------|---|-----------------------------------|--|--|--|
| | Not a dangerous substance as | defined in the above regulations. | | | |
| 14.1 | UN number | | | | |
| | | | | | |
| 14.2 | UN proper shipping name | l | 1 | | |
| | | | | | |
| 14.3 | Transport hazard class(es) | <u>'</u> | ' | | |
| | | | | | |
| 14.4 | Packing group | | | | |
| | | | | | |
| 14.5 | Environmental hazards | | | | |
| | | | | | |
| 14.6 | Special precautions for user | | | | |
| | Transport category: | | Packing Instructions (Passenger) | | |
| | Classification Code: | | | | |
| | Hazard - No.: | | Packing Instructions (Cargo) | | |
| | LQ: | | | | |
| 14.7 | Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | | | | |
| | | None. | | | |
| | | 1 | I and the second se | | |

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture n.av.
- 15.2 Chemical safety assessment : None.

SECTION 16: Other information

Text of H phases mentioned in Section 3

H318: Causes serious eye damage.

This datasheet has been compiled in accordance with EU regulation 2015/830.

The statements in this Material Safety Data Sheet were made to the best of our knowledge and are as accurate as possible. They are given for information only. They do not constitute a contractual guarantee of a product's properties. They must neither be altered nor transferred to other products.



Prepared by: CoSiChem AG, Ernst-Lemmer-Straße 23, D - 35041 Marburg, info@cosichem.de, +49-6421-886563 Receipt of Data: 26.07.2001, \$fer 0116