Date of issue: 23.03.2017 Replaces Data Sheet of: 22.02.2016

"*" alterations as compared to previous version; n.ap. = not applicable; n.av. = not available



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Aluminum sulfate liquid, 46,5 / 47,5 / 48,5%

Article No.: n.av.
Preparation No.: n.av.
Registration No.: n.ap.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Potable water treatment, wastewater treatment

1.3 Details of the supplier of the safety data sheet

1.3.1 Address of the Company / Supplier:

Feralco Deutschland GmbH, Große Drakenburger Straße 93-97, D - 31582 Nienburg / Weser Telephone: +49-5021-988-470, Telefax: +49-5021-988 481, E-Mail: info.de@feralco.com

1.3.2 Responsible for the data sheet:

CoSiChem AG, Ernst-Lemmer-Straße 23, D - 35041 Marburg, info@cosichem.de

1.4 Emergency telephone number

Emergency - Telephone of Company / Undertaking Information Centre Specialising in Symptoms of

Poisoning

Telephone: GGIZ +49 361 730730 (24h) Telephone: +44 870 600 6266

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification and labelling according to Directive 1272/2008/EC:

Eye Irrit. 2; H319 / Met. Corr. 1; H290

2.2 Label elements

Classification according to 1272/2008/EC: Yes.

Applicable Exemptions: No. Signal word(s): Warning

Component(s):

Hazard pictogram(s):

H - Phrases:

H319: Causes serious eye irritation. H290: May be corrosive to metals.

P - Phrases:

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical advice/attention.

P390: Absorb spillage to prevent material damage.

P406: Store in corrosive resistant container with a resistant inner liner.

Additional Markings: None.

The above mentioned labelling is valid for distribution to industrial user.

2.3 Other hazards

This mixture contains no substances which are assessed to be PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

n.ap.

3.2 Mixtures

Chemical Characterisation:

Acidic Aluminiumsalt, solution

Dangerous Ingredients:

Material CAS - No. Hazard Code(s) /	Index - No. ' H - phrases	EC - No.	REACH - No.	m% - range
Aluminiumsulphate tetradecahydrat (14 Hydrat)				
16828-12-9	n.av.	(233-135-0)	01-2119531538-36-xxxx	
Eye Dam. 1; H31	8			

Text of H - phrases: see section 16 m% - range: $x - y \triangleq x \ge - < y$



Trade Name: Aluminum sulfate, liquid, 46,5 / 47,5 / 48,5%

Company / Supplier: Feralco Deutschland GmbH, Große Drakenburger Straße 93-97, D - 31582 Nienburg / Weser Telephone: +49-5021-988-470, Date of issue: 23.03.2017 Replaces Data Sheet of: 22.02.2016

SECTION 4: First aid measures

4.1 Description of first aid measures

4.1.1 Inhalation:

Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion. If symptoms persist, call a physician.

4.1.2 Skin Contact:

Wash off with soap and water. In the case of skin irritation or allergic reactions see a physician.

4.1.3 Eye Contact:

Call a physician immediately. Rinse immediately with plenty of water, also under the eyelids.

4.1.4 Ingestion:

Do not induce vomiting. Clean mouth with water and afterwards drink plenty of water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

n.av.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

5.1.1 Suitable Extinguishing Media:

The product itself does not burn.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.1.2 Extinguishing Media to Avoid:

high volume water jet.

5.2 Special hazards arising from the substance or mixture

In the event of fire the following can be released: Inorganic substances in powdered form, Sulphur oxides.

5.3 Advice for firefighters

5.3.1 Special Protective Equipment:

Wear positive pressure self-contained breathing apparatus. Wear full protective clothing.

5.3.2 Additional Information:

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

See chapter 8.2.2

Ensure adequate ventilation, especially in confined areas.

6.2 Environmental precautions

Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal.

6.4 Reference to other sections

None.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

7.1.1 Precautions for Safe Handling:

Keep container tightly closed in a dry and well-ventilated place. Re-open used containers with caution.

7.1.2 Precautions in Case of Fire and Explosion:

The product itself does not burn. No special precautions required. Conditions for safe storage, including any incompatibilities

7.2.1 Storage Instructions:

Keep in a dry, cool and well-ventilated place. Jointless smooth floor: acid resisting floor.

7.2.2 Store away from:

Incompatible with strong bases and oxidizing agents.

7.2.3 Further Information on Storage Conditions:

None.

7.2

7.3 Specific end use(s)

n.av.

Safety Data Sheet in Accordance with regulation 2015/830

Page 3 of 5

Trade Name: Aluminum sulfate, liquid, 46,5 / 47,5 / 48,5%

Company / Supplier: Feralco Deutschland GmbH, Große Drakenburger Straße 93-97, D - 31582 Nienburg / Weser Telephone: +49-5021-988-470, Date of issue: 23.03.2017 Replaces Data Sheet of: 22.02.2016

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Material Limit Valu

Aluminiumsulfat tetradecahydrat (14 Hydrat) TLV dust: 10 mg/m³ (respirable fraction); 3 mg/m³ (alveole passing fraction)

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Do not breathe vapours or spray mist. Avoid contact with skin and eyes. When using, do not eat, drink or smoke. Take off all contaminated clothing immediately. Wash hands before breaks and at the end of workday.

8.2.2 Individual protection measures

8.2.2a Respiratory Protection: In case of insufficient ventilation, wear suitable respiratory equipment. Short term

only: Recommended Filter type: B-P2.

8.2.2b **Hand Protection:** impervious butyl rubber gloves, Break through time > 480 min.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts,

abrasion, and the contact time.

8.2.2c Eye Protection: safety glasses with side-shields conforming to EN166

8.2.2d **Skin Protection**: protective suit

8.2.2e Further Information: Observe wearing time limits:

8.2.3 Environmental exposure controls:

ı.av.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

9.1.1 Form: liquid Colour: colourless Odour: odourless

Odour threshold: n.av.

9.1.2 pH-value, undiluted: 2 - 2,7 pH-value, 1% aqueous solution: n.av.

9.1.3 Boiling point / Boiling - range (°C): 100 - 120, Melting point / Melting range (°C): n.av.

9.1.4 Flash point (°C): n.ap., closed cup

9.1.5 Flammability (EEC A10/A13): n.ap.
9.1.6 Ignition temperature (°C): n.ap.
9.1.7 Autoflammability (EEC A16): n.ap.
9.1.8 Oxidising properties: None.
9.1.9 Explosion hazard: No.

9.1.10 Explosion limits (Vol.%) lower: n.ap., upper: n.ap.

 9.1.11
 Vapour pressure:
 n.ap.

 Vapour density (Air = 1):
 n.av.

 9.1.12
 Density (g/ml):
 1,33 ± 0,01

 9.1.13
 Solubility (in Water):
 miscible

 9.1.14
 Partition coefficient, n-Octanol / Water:
 -2

 9.1.15
 Viscosity:
 n.av.

 9.1.16
 Solvent content (m %):
 n.ap.

 9.1.17
 Thermal decomposition (°C):
 > 400

 9.1.18
 Evaporation rate:
 n.av.

9.2 Other information

n.av.

Safety Data Sheet in Accordance with regulation 2015/830

Page 4 of 5

Trade Name: Aluminum sulfate, liquid, 46,5 / 47,5 / 48,5%

Company / Supplier: Feralco Deutschland GmbH, Große Drakenburger Straße 93-97, D - 31582 Nienburg / Weser Telephone: +49-5021-988-470, Date of issue: 23.03.2017 Replaces Data Sheet of: 22.02.2016

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Protect from frost, heat and sunlight.

10.5 Incompatible materials

Incompatible with strong bases and oxidizing agents.

10.6 Hazardous decomposition products

Sulphur oxides

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute Health Effects:

Inhalation: n.av.

Ingestion: LD50/oral/rat =6207 mg/kg; Lit.

Skin Contact: n.av.

Skin corrosion / irritation: None. (OECD 404)

Serious eye damage / irritation: Causes serious eye irritation. (OECD 405)

Respiratory or skin sensitisation:

Germ cell mutagenicity:

No.
Carcinogenicity:

No.
Reproductive toxicity:

No.
STOT-single exposure:

STOT-repeated exposure:

Aspiration hazard:

n.av.
n.av.

11.1.1 - Practical Experience

11.1.11 n.av.

11.1.12 Practical Experience

Observations relevant for classification:

None.

Further Observations:

None.

Classification of the preparation has been done by calculation in accordance with EEC directives.

SECTION 12: Ecological information

12.1 Toxicity

LC₅₀; 96h Mosquitofisch: 235 mg/l

12.2 Persistence and degradability

Can be eliminated from water by flocculation.

12.3 Bioaccumulative potential

n.av.

12.4 Mobility in soil

n.av.

12.5 Results of PBT and vPvB assessment

This mixture contains no substances which are assessed to be PBT or vPvB.

12.6 Other adverse effects

12.6.1COD-Value, mg/g:n.av.12.6.2BOD5-Value, mg/g:n.av.12.6.3AOX-Remarks:Not relevant12.6.4Significant Components:None.12.6.5Other adverse effects:None.

Safety Data Sheet in Accordance with regulation 2015/830

Page 5 of 5

Trade Name: Aluminum sulfate, liquid, 46,5 / 47,5 / 48,5%

Company / Supplier: Feralco Deutschland GmbH, Große Drakenburger Straße 93-97, D - 31582 Nienburg / Weser Telephone: +49-5021-988-470, Date of issue: 23.03.2017 Replaces Data Sheet of: 22.02.2016

SECTION 13: Disposal considerations

13.1 Waste treatment methods

13.1.1 Recommendation: R 3/4, D 5/9 Waste - Code - No.: 16 03 03 (VeVA/OMoD)

The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

In addition comply with the regional authorities.

13.2 Contaminated Packaging

13.2.1 Recommendation: Wash with suitable cleaner. Otherwise as described under Residues.

Uncontrolled disposal or recycling of this packaging is not permitted and can be

dangerous.

13.2.2 Safe Handling: As described under Residues.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 14: Transport information

	ADR	IMDG	IATA		
14.1	UN number				
	3264	3264	3264		
14.2	UN proper shipping name				
	UN 3264 Corrosive liquid, acidic, inorganic, n.o.s. (Aluminiumsulphate)	Corrosive liquid, acidic, inorganic, n.o.s. (Aluminiumsulphate)	Corrosive liquid, acidic, inorganic n.o.s. (Aluminiumsulphate)		
14.3	Transport hazard class(es)				
	8	8	8		
	8	8	8		
14.4	Packing group				
	III	III	III		
14.5	Environmental hazards				
		No.			
14.6	Special precautions for user				
	Transport category: 3 Classification Code: C1 Hazard - No.: 80 LQ: 5 L	F-A, S-B	Packing Instructions (Passenger) 852 Packing Instructions (Cargo) 856		
14.7	Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code				
		None.			

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- 15.2 Chemical safety assessment : n.ap.

SECTION 16: Other information

Text of H phases mentioned in Section 3

H318: Causes serious eye damage.

This datasheet has been compiled in accordance with EU regulation 2015/830.

The statements in this Material Safety Data Sheet were made to the best of our knowledge and are as accurate as possible. They are given for information only. They do not constitute a contractual guarantee of a product's properties. They must neither be altered nor transferred to other products.

Prepared by: CoSiChem AG, Ernst-Lemmer-Straße 23, D - 35041 Marburg, info@cosichem.de, +49-6421-886563 Receipt of Data: 26.07.2001, \$fer 0115